

Product Data Sheet



HB-1155 R&O HYDRAULIC

22, 32, 46, 68, 100, 150, 220, 320, 460, 680

DESCRIPTION:

HB-1155 R&O HYDRAULIC OILS are multipurpose lubricants that are compounded from highly refined mineral base stocks to enhance oxidation stability and impart rust/corrosion control as well as foam suppressant characteristics. This product has been formulated with a wide range of viscosities to accommodate applications in a variety of mechanical systems.

APPLICATIONS:

HB-1155 R&O HYDRAULIC OILS are recommended for their anti-rust/corrosion feature and oxidation stability that minimizes viscosity increase and sludge formation at normal operating temperatures with good water separability. This product can be used in equipment where anti-wear properties are not required. These products are suitable for general lubrication including air compressors, low pressure hydraulic systems, circulating oil systems, centrifugal pumps and lightly loaded gearboxes.

H & B Industries, Inc.

9758 Abernathy
Dallas, TX. 75220
(214) 350-1984
info@hbind.com
Website www.hbind.com

H & B Industries, Inc

301 Crickett Lane
Temple, TX. 76501
(254) 985-2525
hbsupply@hbind.com
Website www.hbind.com

Product Data Sheet

Typical Properties

ISO Grade	22	32	46	68	100	150	220	320	460	680
AGMA Number	--	--	1	2	3	4	5	6	7	8
Viscosity, cSt										
At 40°C	22.2	32.1	46.1	68.0	100.7	150.8	220.0	321.4	460.6	681.3
At 100°C	4.1	5.0	6.2	7.8	9.9	12.8	16.2	20.5	25.5	32.3
Viscosity, SUS										
AT 100°F	113	167	241	353	529	812	1066	1727	2512	3691
At 210°F	41	44	48	53	61	72	86	104	127	159
Pour Pt, Deg°F/C	-20/-29	-20/-29	-10/-23	-10/-23	0/-18	0/-18	10/-12	10/-12	15/-9	15/-9
Flash Pt., COC, °F/C	385/196	390/199	405/207	425/218	440/227	465/241	485/252	500/260	520/271	540/282
Rust Test, ASTM D-665	<-----Passes Procedures A & B----->									
Dielectric Strength (KV)	30	30	30	30	30	30	30	30	35	35
Gravity, API @60°F(min)	28	27	27	26	25	24	23	23	22	21

The values shown are typical of current production. Some are controlled in the manufacturing process, while others are not. All of them may vary within tolerable ranges.

H & B Industries, Inc.

9758 Abernathy
Dallas, TX. 75220
(214) 350-1984
info@hbind.com
Website www.hbind.com

H & B Industries, Inc

301 Crickett Lane
Temple, TX. 76501
(254) 985-2525
hbsupply@hbind.com
Website www.hbind.com